## **Amendments to the Claims**

- 1. (Original) A method of treating fibers, textiles, or leather comprising applying to fibers, textiles, or leather 0.1-15 weight percent based on the weight of the fibers, textiles, or leather of a treatment composition comprising a blend containing a silicone resin component and a fluorocarbon component; the fluorocarbon component comprising one of an emulsion containing a fluoroalkyl acrylate copolymer or an emulsion containing a fluorinated polyurethane; the silicone resin component comprising one of (i) an aminofunctional silicone resin, (ii) an emulsion containing an aminofunctional silicone resin, (iii) a carbinol functional silicone resin, (v) an epoxy functional silicone resin, or (vi) an emulsion containing an epoxy functional silicone resin.
- 2. (Original) A method of treating fibers, textiles, or leather comprising applying to fibers, textiles, or leather 0.1-15 weight percent based on the weight of the fibers, textiles, or leather of a treatment composition comprising a blend containing a silicone resin component and a fluorocarbon component; the fluorocarbon component comprising at least one of an emulsion containing a fluoroalkyl acrylate copolymer or an emulsion containing a fluorinated polyurethane; the silicone resin component comprising at least one of (i) an aminofunctional silicone resin, (ii) an emulsion containing an aminofunctional silicone resin, (iii) a carbinol functional silicone resin, (iv) an emulsion containing a carbinol functional silicone resin, (v) an epoxy functional silicone resin, or (vi) an emulsion containing an epoxy functional silicone resin.
- 3. (Currently Amended) A method according to Claim <del>1 or 2</del> in which the aminofunctional silicone resin comprises the units:
- (i)  $(R_3SiO_{1/2})_a$
- (ii)  $(R_2SiO_{2/2})_b$
- (iii)  $(RSiO_{3/2})_c$  and
- (iv)  $(SiO_{4/2})_d$

where R is independently an alkyl group, an aryl group, or an aminofunctional hydrocarbon group; a is greater than zero to 0.5; b is zero to 0.4; c is greater than zero to 0.93; d is less than 0.3; and the sum of a + b + c + d is one.

- 4. (Currently Amended) A method according to Claim 1-or 2 in which the aminofunctional silicone resin is a resin containing units selected from the group consisting of:

  I. the units:
- (i)  $((CH_3)_3SiO_{1/2})_a$
- (ii)  $(C_6H_5(CH_3)SiO_{2/2})_b$
- (iii)  $((CH_3)RSiO_{2/2})_b$
- (iv)  $(C_6H_5SiO_{3/2})_c$ ,
- II. the units:
- (i)  $((CH_3)_3SiO_{1/2})_a$
- (ii)  $((CH_3)RSiO_{2/2})_b$
- (iii)  $(RSiO_{3/2})_c$
- (iv)  $(C_6H_5SiO_{3/2})_c$ ,
- III. the units:
- (i)  $((CH_3)_3SiO_{1/2})_a$
- (ii)  $((CH_3)RSiO_2/2)_b$
- (iii)  $(C_6H_5SiO_{3/2})_c$ , and
- V. the units:
- (i)  $((CH_3)_3SiO_{1/2})_a$
- (ii)  $(C_6H_5(CH_3)SiO_{2/2})_b$
- (iii)  $((CH_3)RSiO_{2/2})_b$
- (iv)  $(C_6H_5SiO_{3/2})_c$
- (v) (SiO<sub>4/2</sub>)<sub>d</sub>, wherein a, b, c, and d, are as defined above, and R is -CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>.

5. (Currently Amended) A method according to any of Claims 1 to 4 2 in which the carbinol functional silicone resin comprises the units:

$$(R^{1}_{3}SiO_{1/2})_{e}$$
 (i)

$$(R^2_2SiO_{2/2})_f$$
 (ii)

$$(R^3SiO_{3/2})_g$$
 (iii) and

$$(SiO_{4/2})_h$$
 (iv)

where  $R^1$  and  $R^2$  are independently a hydrogen atom, an alkyl group having 1-8 carbon atoms, an aryl group, a carbinol group having at least 3 carbon atoms and being free of aryl groups, or an aryl-containing carbinol group having at least 6 carbon atoms;  $R^3$  is an alkyl group having 1-8 carbon atoms or an aryl group; e is less than 0.6; f is zero to 0.4; g is greater than zero; h is less than 0.5; the value of e + f + g + h is one; provided that when each  $R^2$  is methyl, the value of f is less than 0.3.

6. (Currently Amended) A method according to any of Claims 1-4 2 in which the carbinol functional silicone resin is a resin containing units selected from the group consisting of:

I. the units:

$$((CH_3)_3SiO_{1/2})_e$$

$$((R^2)CH_3SiO_{2/2})_f$$
 where  $R^2 = -(CH_2)_3C_6H_4OH$ 

$$((C_6H_5)CH_3SiO_{2/2})f$$
 and

$$(C_6H_5SiO_{3/2})_g$$
,

II. the units:

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -(CH_2)_3C_6H_4OH$  and

$$(C_6H_5SiO_{3/2})_g$$

III. the units:

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -(CH_2)_3C_6H_4OH$  and  $(CH_3SiO_{3/2})_g$ ,

Page 5 of 12

IV. the units:

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -(CH_2)_3OH$  and

 $(C_6H_5SiO_{3/2})_g$ ,

V. the units:

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -(CH_2)_3OH$ 

(CH<sub>3</sub>SiO<sub>3/2</sub>)<sub>g</sub> and

 $(C_6H_5SiO_{3/2})_g$ ,

VI. the units:

 $((CH_3)_3SiO_{1/2})_e$ 

$$((R^2)CH_3SiO_{2/2})_f$$
 where  $R^2 = -(CH_2)_3OH$ 

 $((C_6H_5)CH_3SiO_{2/2})_f$  and

 $(C_6H_5SiO_{3/2})_g$ 

VII. the units:

 $((CH_3)_3SiO_{1/2})_e$ 

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -(CH_2)_3OH$  and

 $(C_6H_5SiO_{3/2})_g$ , and

VIII. the units:

$$((R^1)(CH_3)_2SiO_{1/2})_e$$
 where  $R^1 = -CH_2CH(CH_3)CH_2OH$ 

 $((H)(CH_3)_2SiO_{1/2})_e$  and

 $(C_6H_5SiO_{3/2})_g$ 

where e is 0.3-0.5, f is 0-0.2, g is 0.5-0.8, and h is zero..

7. (Currently Amended) A method according to any of Claims 1-to 6-2 in which the epoxy functional silicone resin comprises the units:

(i) 
$$(R^7_3SiO_{1/2})_j$$

Page 6 of 12


(ii)  $(R^{7}_{2}SiO_{2/2})_{k}$ 

(iii)  $(R^7SiO_{3/2})_1$  and

(iv)  $(SiO_{4/2})_{m}$ .

where  $R^7$  is independently a monovalent hydrocarbon group or an epoxyfunctional substituted hydrocarbon group having 1-18 carbon atoms; j is greater than zero to 0.6; k is zero to 0.4; l is greater than zero; and m is less than 0.3, the sum of j + k + l + m is equal to one; provided that 0.1-30 mole percent of silicon atoms in units (i), (ii), or (iii), are monovalently attached to the hydrocarbon groups containing epoxy or hydrolysis products thereof.

- 8. (Original) A composition for treating fibers, textiles, or leather comprising a blend containing a silicone resin component and a fluorocarbon component; the fluorocarbon component comprising one of an emulsion containing a fluoroalkyl acrylate copolymer, or an emulsion containing a fluorinated polyurethane; the silicone resin component comprising one of (i) an aminofunctional silicone resin, (ii) an emulsion containing an aminofunctional silicone resin, (iii) a carbinol functional silicone resin, (iv) an emulsion containing a carbinol functional silicone resin, (v) an epoxy functional silicone resin, or (vi) an emulsion containing an epoxy functional silicone resin.
- 9. (Original) A composition for treating fibers, textiles, or leather comprising a blend containing a silicone resin component and a fluorocarbon component; the fluorocarbon component comprising at least one of an emulsion containing a fluoroalkyl acrylate copolymer or an emulsion containing a fluorinated polyurethane; the silicone resin component comprising at least one of (i) an aminofunctional silicone resin, (ii) an emulsion containing an aminofunctional silicone resin, (iii) a carbinol functional silicone resin, (iv) an emulsion containing a carbinol functional silicone resin, (v) an epoxy functional silicone resin, or (vi) an emulsion containing an epoxy functional silicone resin.



- (i)  $((CH_3)_3SiO_{1/2})_a$
- (ii)  $(C_6H_5(CH_3)SiO_{2/2})_b$
- (iii)  $((CH_3)RSiO_{2/2})_b$
- (iv)  $(C_6H_5SiO_{3/2})_c$
- (v) (SiO<sub>4/2</sub>)<sub>d</sub>; wherein a, b, c, and d, are as defined above, and R is -CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>.
- 12. (Currently Amended) A composition according to any of Claims 8 11 9 in which the carbinol functional silicone resin comprises the units:
- $(R^{1}_{3}SiO_{1/2})_{e}$  (i)
- $(R^2_2SiO_{2/2})_f$  (ii)
- $(R^3SiO_{3/2})_g$  (iii) and
- $(SiO_{4/2})_h$  (iv)

where  $R^1$  and  $R^2$  are independently a hydrogen atom, an alkyl group having 1-8 carbon atoms, an aryl group, a carbinol group having at least 3 carbon atoms and being free of aryl groups, or an aryl-containing carbinol group having at least 6 carbon atoms;  $R^3$  is an alkyl group having 1-8 carbon atoms or an aryl group; e is less than 0.6; f is zero to 0.4; g is greater than zero; h is less than 0.5; the value of e + f + g + h is one; provided that when each  $R^2$  is methyl, the value of f is less than 0.3.

13. (Currently Amended) A composition according to any of Claims 8-11 9 in which the carbinol functional silicone resin is a resin containing units selected from the group consisting of:

I. the units:

$$((CH_3)_3SiO_{1/2})_e$$

$$((R^2)CH_3SiO_{2/2})_f$$
 where  $R^2 = -(CH_2)_3C_6H_4OH$ 

$$((C_6H_5)CH_3SiO_{2/2})f$$
 and

$$(C_6H_5SiO_{3/2})_g$$
,

II. the units:

Page 9 of 12

 $((R^{1})(CH_{3})_{2}SiO_{1/2})_{e}$  where  $R^{1} = -(CH_{2})_{3}C_{6}H_{4}OH$  and

 $(C_6H_5SiO_{3/2})_g$ 

III. the units:

 $((R^1)(CH_3)_2SiO_{1/2})_e$  where  $R^1 = -(CH_2)_3C_6H_4OH$  and

(CH<sub>3</sub>SiO<sub>3/2</sub>)<sub>g</sub>,

IV. the units:

 $((R^1)(CH_3)_2SiO_{1/2})_e$  where  $R^1 = -(CH_2)_3OH$  and

 $(C_6H_5SiO_{3/2})_g$ ,

V. the units:

 $((R^1)(CH_3)_2SiO_{1/2})_e$  where  $R^1 = -(CH_2)_3OH$ 

(CH<sub>3</sub>SiO<sub>3/2</sub>)<sub>g</sub> and

 $(C_6H_5SiO_{3/2})_g$ ,

VI. the units:

 $((CH_3)_3SiO_{1/2})_e$ 

 $((R^2)CH_3SiO_{2/2})_f$  where  $R^2 = -(CH_2)_3OH$ 

 $((C_6H_5)CH_3SiO_{2/2})_f$  and

(C<sub>6</sub>H<sub>5</sub>SiO<sub>3/2</sub>)<sub>g</sub>,

VII. the units:

 $((CH_3)_3SiO_{1/2})_e$ 

 $((R^1)(CH_3)_2SiO_{1/2})_e$  where  $R^1 = -(CH_2)_3OH$  and

 $(C_6H_5SiO_{3/2})_g$ , and

VIII. the units:

 $((R^{1})(CH_{3})_{2}SiO_{1/2})_{e}$  where  $R^{1} = -CH_{2}CH(CH_{3})CH_{2}OH$ 

((H)(CH<sub>3</sub>)<sub>2</sub>SiO<sub>1/2</sub>)<sub>e</sub> and

 $(C_6H_5SiO_{3/2})_g$ ,

where e is 0.3-0.5, f is 0-0.2, g is 0.5-0.8, and h is zero.

Page 10 of 12

14. (Currently Amended) A composition according to any of Claims 8-13 9 in which the epoxy functional silicone resin comprises the units:

- (i)  $(R^7_3SiO_{1/2})_j$
- (ii)  $(R^7_2SiO_{2/2})_k$
- (iii)  $(R^7SiO_{3/2})_1$  and
- (iv)  $(SiO_{4/2})_{m}$ .

where  $R^7$  is independently a monovalent hydrocarbon group or an epoxyfunctional substituted hydrocarbon group having 1-18 carbon atoms; j is greater than zero to 0.6; k is zero to 0.4; l is greater than zero; and m is less than 0, the sum of j + k + l + m is equal to one; provided that 0.1-30 mole percent of silicon atoms in units (i), (ii), or (iii), are monovalently attached to the hydrocarbon groups containing epoxy or hydrolysis products thereof.